Neuroscience Letters, 189 (1995) 211–213
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Adroer, R., Santacruz, P., Blesa, R., López-Pousa, S., Ascaso, C., Oliva, R., Apolipoprotein E4 allele frequency in Spanish Alzheimer and control cases, 182
Aizenman, E., Modulation of *N*-methyl-D-aspartate receptors by hydroxyl radicals in rat cortical neurons in vitro, 57
Akasu, T., see Hasuo, H., 163
Albrecht, B.E., Darlison, M.G., Localization of the ρ1- and ρ2-subunit messenger RNAs in chick retina by in situ hybridization predicts the existence of γ-aminobutyric acid type C receptor subtypes, 155
Amenta, F., see Tata, A.M., 139
Anderson, G.F., see Helfman, C.C., 65
Araki, T., see Kato, H., 13
Ascaso, C., see Adroer, R., 182
Atoji, Y., Yamamoto, Y., Suzuki, Y., The presence of chondroitin sulfate A and C within axon terminals in the superior olivary nuclei of the adult dog, 39
Augusti-Tocco, G., see Tata, A.M., 139

Barraco, R.A., see Helfman, C.C., 65
Baylis, H.A., see Shirai, Y., 1
Bele, S., see Sabel, M., 151
Ben Ari, Y., see Marianowski, R., 190
Benabid, A.-L., see Benazzouz, A., 77
Benazzouz, A., Piallat, B., Pollak, P., Benabid, A.-L., Responses of substantia nigra pars reticulata and globus pallidus complex to high frequency stimulation of the subthalamic nucleus in rats: electrophysiological data, 77
Bendani, M.K., Palluy, O., Cook-Moreau, J., Beneytout, J.L., Rigaud, M., Vallat, J.M., Localization of 12-lipoxygenase mRNA in cultured oligodendrocytes and astrocytes by in situ reverse transcriptase and polymerase chain reaction, 159
Beneytout, J.L., see Bendani, M.K., 159
Biagioni, S., see Tata, A.M., 139
Blesa, R., see Adroer, R., 182
Botterblom, M.H.A., see Feenstra, M.G.P., 81
Bruno, J.P., see Moore, H., 31
Buckingham, S.D., see Shirai, Y., 1

Calder, V.L., Domigan, N.M., George, P.M., Donaldson, I.M., Winterbourn, C.C., Superoxide dismutase ($glu^{100} \rightarrow gly$) in a family with inherited motor neuron disease: detection of mutant superoxide dismutase activity and the presence of heterodimers, 143
Carobrez, A.P., see Schmitt, M.L., 93
Champagnat, J., see Silva-Barrat, C., 105
Chen, L.-W., Rao, Z.-R., Shi, J.-W., Catecholaminergic neurons in the nucleus tractus solitarii which send their axons to the midbrain periaqueductal gray express Fos protein after noxious stimulation of the stomach: a triple labeling study in the rat, 179
Coelho, W., see Schmitt, M.L., 93
Cook-Moreau, J., see Bendani, M.K., 159
Cox, R.D., see Naso, W.B., 176

Darlison, M.G., see Albrecht, B.E., 155
Delmas, P., Gola, M., Choline blocks large conductance K_{Ca} channels in mammalian sympathetic neurones, 109
Després, G., see Marianowski, R., 190
Domigan, N.M., see Calder, V.L., 143
Donaldson, I.M., see Calder, V.L., 143
Donaldson, L.F., see Olsson, T., 113

Ebendal, T., see Söderström, S., 5

Feenstra, M.G.P., Botterblom, M.H.A., van Uum, J.F.M., Novelty-induced increase in dopamine release in the rat prefrontal cortex in vivo: inhibition by diazepam, 81
Feng, J., Kendig, J.J., *N*-Methyl-D-aspartate receptors are implicated in hyperresponsiveness following naloxone reversal of alfentanil in isolated rat spinal cord, 128
Funabashi, T., Kimura, F., The number of luteinizing hormone-releasing hormone immunoreactive neurons is significantly decreased in the forebrain of old-aged female rats, 85

Gallagher, J.P., see Hasuo, H., 163
Gary-Bobo, E., Przybyslawski, J., Saillour, P., Experience-dependent maturation of the spatial and temporal characteristics of the cell receptive fields in the kitten visual cortex, 147
Gass, P., see Sabel, M., 151
Gasse, H., Meyer, W., Neuron-specific enolase as a marker of hypothalamo-neurohypophyseal development in postnatal *Monodelphis domestica* (Marsupialia), 54
Gavazzi, I., Collateral sprouting and responsiveness to nerve growth factor of ageing neurons, 47
Gean, P.-W., see Hsu, K.-S., 17
George, P.M., see Calder, V.L., 143
Goedert, M., Jakes, R., Vanmechelen, E., Monoclonal antibody AT8 recognises tau protein phosphorylated at both serine 202 and threonine 205, 167
Gola, M., see Delmas, P., 109
Gray, R., see Tischler, A.S., 135
Guimarães, F.S., see Schmitt, M.L., 93

Hari, R., Illusory directional hearing in humans, 29
Hasuo, H., Akasu, T., Gallagher, J.P., Muscarine increases a voltage-independent potassium conductance through an M_4 receptor in rat dorsolateral septal nucleus neurons, 163
Hechler, V., see Ratomponirina, C., 51
Helfman, C.C., Anderson, G.F., Barraco, R.A., Presynaptic displacement of serotonin by α-methyl-5-hydroxytryptamine in the nucleus tractus solitarius of the rat, 65
Hirai, H., see Takata, T., 21
Hlavačka, F., Križková, M., Horak, F.B.,Modification of human postural response to leg muscle vibration by electrical vestibular stimulation, 9
Hodé, Y., see Ratomponirina, C., 51
Holyoke Jr., C.W., see Shirai, Y., 1
Horak, F.B., see Hlavačka, F., 9
Hosie, A.M., see Shirai, Y., 1
Hsu, K.-S., Huang, C.-C., Gean, P.-W., Voltage- and use-dependent block by 1-methyl-4-phenylpyridinium ion (MPP^+) of *N*-methyl-D-aspartate-activated currents in rat hippocampal neurons, 17
Huang, C.-C., see Hsu, K.-S., 17

Itoyama, Y., see Kato, H., 13

Jakes, R., see Goedert, M., 167
Jouvet, M., see Touret, M., 43

Kato, H., Kogure, K., Araki, T., Itoyama, Y., Induction of Jun-like immunoreactivity in astrocytes in gerbil hippocampus with ischemic tolerance, 13
Kato, Y., see Yamauchi, K., 131
Kendig, J.J., see Feng, J., 128
Kiessling, M., see Sabel, M., 151
Kimura, F., see Funabashi, T., 85
Klee, M.R., see Lozovaya, N.A., 101
Kogure, K., see Kato, H., 13
Komiya, Y., see Toyoshima, I., 69
Koshimura, K., see Yamauchi, K., 131
Križková, M., see Hlavačka, F., 9
Künzle, H., Crossed thalamocortical connections in the Madagascan hedgehog tenrec: dissimilarities to erinaceous hedgehog, similarities to mammals with more differentiated brains, 89
Kushima, Y., see Oohira, A., 25

Ling, E.A., see Xu, J., 97
Lopes-de-Souza, A.S., see Schmitt, M.L., 93
López-Pousa, S., see Adroer, R., 182
Lozovaya, N.A., Klee, M.R., Phorbol diacetate differentially regulates the *N*-methyl-D-aspartate (NMDA) and non-NMDA receptor-mediated components of the rat hippocampal excitatory postsynaptic currents, 101

Maitre, M., see Ratomponirina, C., 51
Marianowski, R., Pollard, H., Moreau, J., Després, G., Ben Ari, Y., Tran Ba Huy, P., Romand, R., *N*-Methyl-D-aspartate receptor subunits NR1 and NR2C are overexpressed in the inferior colliculus of audiogenic mice, 190
Masonis, A.E.T., McCarthy, M.P., Direct effects of the anabolic/androgenic steroids, stanozolol and 17α-methyltestosterone, on benzodiazepine binding to the γ-aminobutyric acid$_A$ receptor, 35
Matsui, F., see Oohira, A., 25
McCarthy, M.P., see Masonis, A.E.T., 35
Meyer, W., see Gasse, H., 54
Mohammed, A.K., see Olsson, T., 113
Moore, H., Sarter, M., Bruno, J.P., Bidirectional modulation of cortical acetylcholine efflux by infusion of benzodiazepine receptor ligands into the basal forebrain, 31
Moreau, J., see Marianowski, R., 190
Murakami, Y., see Yamauchi, K., 131

Nakazato, A., see Okuyama, S., 60
Naso, W.B., Perot Jr., P.L., Cox, R.D., The neuroprotective effect of high-dose methylprednisolone in rat spinal cord hemisection, 176
Nishiki, M., see Yamauchi, K., 131

Ogawa, S., see Okuyama, S., 60
Okada, Y., see Takata, T., 21
Okuyama, S., Ogawa, S., Nakazato, A., Tomizawa, K., Effect of NE-100, a novel sigma receptor ligand, on phencyclidine-induced delayed cognitive dysfunction in rats, 60
Oliva, R., see Adroer, R., 182
Olsson, T., Mohammed, A.K., Donaldson, L.F., Seckl, J.R., Transcription factor AP-2 gene expression in adult rat hippocampal regions: effects of environmental manipulations, 113
Oohira, A., Kushima, Y., Matsui, F., Watanabe, E., Detection of Alzheimer's β-amyloid precursor related proteins bearing chondroitin sulfate both in the juvenile rat brain and in the conditioned medium of primary cultured astrocytes, 25

Palluy, O., see Bendani, M.K., 159
Palmery, M., see Pimpinella, G., 121
Perot Jr., P.L., see Naso, W.B., 176
Piallat, B., see Benazzouz, A., 77
Pimpinella, G., Palmery, M., Interaction of β-carbolines with central dopaminergic transmission in mice: structure-activity relationships, 121
Pollak, P., see Benazzouz, A., 77
Pollard, H., see Marianowski, R., 190
Przybyslawski, J., see Gary-Bobo, E., 147

Rao, Z.-R., see Chen, L.-W., 179
Ratomponirina, C., Hodé, Y., Hechler, V., Maitre, M., γ-Hydroxybutyrate receptor binding in rat brain is inhibited by guanyl nucleotides and pertussis toxin, 51
Ricci, A., see Tata, A.M., 139
Rigaud, M., see Bendani, M.K., 159
Riseberg, J.C., see Tischler, A.S., 135
Romand, R., see Marianowski, R., 190
Rowell, P.P., Nanomolar concentrations of nicotine increase the release of [^{3}H]dopamine from rat striatal synaptosomes, 171
Rowland, N.E., Neural activity and meal-associated drinking in rats, 125

Sabel, M., Bele, S., Gass, P., Sommer, C., Kiessling, M., Developmental expression of GAP-43 and SNAP-25 in heterotopic rat cortical grafts, 151
Saillour, P., see Gary-Bobo, E., 147
Sallanon-Moulin, M., see Touret, M., 39
Santacruz, P., see Adroer, R., 182
Sarter, M., see Moore, H., 31
Sattelle, D.B., see Shirai, Y., 1
Schmitt, M.L., Coelho, W., Lopes-de-Souza, A.S., Guimarães, F.S., Carobrez, A.P., Anxiogenic-like effect of glycine and D-serine microinjected into dorsal periaqueductal gray matter of rats, 93
Seckl, J.R., see Olsson, T., 113
Seidel, A., see Vollrath, L., 187
Shi, J.-W., see Chen, L.-W., 179
Shigemoto, T., see Takata, T., 21
Shirai, Y., Hosie, A.M., Buckingham, S.D., Holyoke Jr., C.W., Baylis, H.A., Sattelle, D.B., Actions of picrotoxinin analogues on an expressed, homo-oligomeric GABA receptor of *Drosophila melanogaster*, 1
Silva-Barrat, C., Champagnat, J., A potassium current controls burst termination in rat neocortical neurons after GABA withdrawal, 105
Söderström, S., Ebendal, T., The levels of neurotrophin-3 protein in the rat brain determined by enzyme immunoassay show a pattern distinct from nerve growth factor, 5
Sommer, C., see Sabel, M., 151
Struckhoff, G., Transforming growth factor β1 and parathyroid hormone-related protein control the secretion of dipeptidyl peptidase II by rat astrocytes, 117
Suzuki, Y., see Atoji, Y., 39

Takata, T., Hirai, H., Shigemoto, T., Okada, Y., The release of glutamate and accumulation of intracellular calcium in the guinea pig hippocampal slices during glucose deprivation, 21
Tanaka, J., see Yamauchi, K., 131

Tata, A.M., Biagioni, S., Ricci, A., Amenta, F., Augusti-Tocco, G., Muscarinic cholinergic receptors in dorsal root ganglia of chick embryo: a radioligand binding and immunocytochemical study, 139
Tischler, A.S., Riseberg, J.C., Gray, R., Mitogenic and antimitogenic effects of pituitary adenylate cyclase-activating polypeptide (PACAP) in adult rat chromaffin cell cultures, 135
Tomizawa, K., see Okuyama, S., 60
Touret, M., Sallanon-Moulin, M., Jouvet, M., Awakening properties of modafinil without paradoxical sleep rebound: comparative study with amphetamine in the rat, 43
Toyoshima, I., Komiya, Y., Phosphorylation and transport of neurofilament proteins in the rat spinal ganglion, 69
Tran Ba Huy, P., see Marianowski, R., 190

Vallat, J.M., see Bendani, M.K., 159
van Uum, J.F.M., see Feenstra, M.G.P., 81
Vanmechelen, E., see Goedert, M., 167
Vollrath, L., Wullhorst, T., Seidel, A., The response to isoproterenol of synaptic ribbon numbers in the rat pineal gland changes during postnatal development, 187

Watanabe, E., see Oohira, A., 25
Winterbourn, C.C., see Calder, V.L., 143
Wullhorst, T., see Vollrath, L., 187

Xu, J., Ling, E.A., Induction of major histocompatibility complex class II antigen on amoeboid microglial cells in early postnatal rats following intraperitoneal injections of lipopolysaccharide or interferon-γ, 97

Yamada, T., Yamanaka, I., Microglial localization of α-interferon receptor in human brain tissues, 73
Yamamoto, Y., see Atoji, Y., 39
Yamanaka, I., see Yamada, T., 73
Yamauchi, K., Murakami, Y., Nishiki, M., Tanaka, J., Koshimura, K., Kato, Y., Possible involvement of vasoactive intestinal polypeptide in the central stimulating action of pituitary adenylate cyclase-activating polypeptide on prolactin secretion in the rat, 131